

Industrial Manipulators

Dalmec offer a wide range of equipment for the "weightless" handling of sheets, various panels, panels of glass etc.

Simple to use, they allow the operator to move the sheets around quickly, accurately and safely.

These manipulators are custom-built and the type, design, dimensions and picking system used is specially adapted to suit the specific requirements of the user and the various environmental conditions available.



PMS type Partner manipulator, overhead trolley mounted, equipped with a suction system for picking sheets of stainless steel, picking them level from a pallet, moving them and depositing the same on another adjacent pallet. The servoassisted inclination allows the operator to make a visual inspection of the sheet.

Π

 \square

2

F00-12



Manipulator with suction tooling designed for the picking and pneumatic inclination by 90° of sheets of laminated plastic. Positioning of the individual suction cups may be changed manually in relation to the dimensions of the panels to be moved. Vacuum is generated by a venturi ejector which is fitted on the outside of the tooling head.



Manipulator with suction tooling for picking floor panels.



PMC type Partner manipulator, column mounted, fitted with two self-centering pairs of grippers, for picking reinforced doors and then rotating them through 180°.



Manipulator with suction tooling for picking plastic panels.



Manipulator with suction tooling for picking plastic panels.





PMC type Partner manipulator, column mounted, fitted with suction head for picking a panel from a pallet and then for placing it onto a framing machine following shaving.



Suction tooling for handling and 180° pneumatic rotation of wooden panels with different dimensions. The position of the suction cups is manually adjustable.

Suction cups tooling for handling and 180° pneumatic rotation of wooden panels.



Manipulator with suction tooling for gripping insulating boards.



PMC type Partner manipulator, column mounted, fitted with adjustable suction cups tooling for handling panels.



Suction tooling with centerings for handling and inclination of special panels.









MXS type Maxipartner manipulator, overhead trolley mounted, fitted with suction tooling for lifting metal sheets from a trolley or pallet and placing to a machine tool. The maximum capacity of the manipulator is 400 Kg.

The position of the sucion cups is manually adjustable to allow the gripping of panels having different dimensions.



PMC type Partner manipulator, column mounted, equipped with suction tooling to pick sheets positioned horizontally on a workbench.

The tooling allows the 90° pneumatic inclination of the sheets and their positioning on a frame.









Suciton cups toolings for handling sheets with manual or pneumatic roation.





PMC type Partner manipulator, column mounted, equipped with suction system to pick plate glasses from a trolley, and following pneumatically assisted inclination, to place the plate on a table, or vive versa. The tooling also allows the manual rotation through an angle of 360° about the horizontal axis.



PMC type Partner manipulator, column mounted unit, equipped with a suction system for picking panes of glass from a conveyor and for positioning them on a frame. Vacuum is generated by an electric pump fitted on the side of the manipulator.



Adjustable suction cups tooling for handling and 90° pneumatic inclination of glass sheets.



Suction cups tooling for handling and 360° manual rotation of panes of glass.



Vacuum suction system with manual inclination for gripping and handling photovoltaic panels.



Vacuum suction system and manual inclination for handling glasses.



Adjustable suction cups tooling pneumatic inclination for handling door and window frames.



Manipulator with vacuum suction system and manual rotation for handling windscreens.





PMS type Partner manipulator, overhead trolley mounted with motorised pneumatic drive, fitted with adjustable suction cups tooling for handling and inclination of big panels.



Vacuum suction systems and pneumatic or manual inclination/rotation for handling different types of products.



PMC type Partner manipulator, column mounted, equipped with adjustable suction cups tooling for handling special panels.

PMF type Partner manipulator, fixed overhead unit, equipped with suction tooling for the handling and pneumatic inclination through an angle of 90° of panels for camper vans. The position of each suction cup may be adjusted manually.